


FLEXBAND® MACHINE GRADE STRAPPING



- Polypropylene
- Split Resistant
- Flexible—Low Cost
- Variety of Break Strengths



Standard Colors • B-Black • W-White • Y-Yellow • C-Clear

| Code | CORE SIZES | | |
|------|------------|--------|--------------|
| | ID | Face | Coils/Pallet |
| A | 8" | 8" | 24 |
| B | 9" | 8" | 24 |
| C | 16" | 6" | 28 |
| E | 11" | 8" | 24 |
| F | 24" | 6" | 14 |
| G | 4" | 6" | 30 |
| I | 8" | 6" | 28 |
| K | 8" | 7 1/2" | 24 |
| L | 8" | 6 3/4" | 54 |

| PRODUCT CODE | DESCRIPTION | | | | | | | COILS PER PALLET | COILS PER BOX | WEIGHT PER PALLET |
|--------------|-------------------|-------|-----------|---------------|-------------------|---------------|---------|------------------|---------------|-------------------|
| | COMPETITOR'S CODE | COLOR | CORE SIZE | NOMINAL WIDTH | NOMINAL THICKNESS | NOMINAL BREAK | FOOTAGE | | | |

MACHINE GRADE SIZES

| | | | | | | | | | | |
|---------------------|---|---------|----------|-----|------|-----|--------|----|---|---------|
| MA5MMS [□] | - | C | 8x8 | 5mm | .016 | 150 | 23,000 | 24 | 1 | 800 |
| MA6MMS [□] | - | C | 8x8 | 6mm | .020 | 160 | 18,000 | 24 | 1 | 885 |
| MB6MMS [□] | - | C | 9x8 | 6mm | .020 | 160 | 18,000 | 24 | 1 | 885 |
| MA1420/MB1420 | - | W/Y | 8x8, 9x8 | 1/4 | .024 | 200 | 18,000 | 24 | 1 | 760 |
| MK8MM | - | W | 8x7-1/2 | 8mm | .020 | 200 | 14,760 | 24 | 1 | 735 |
| HB38SAM | - | W | 9x8 | 3/8 | .020 | 250 | 12,900 | 24 | 1 | 745 |
| MA3830/MB3830 | - | B/C/W/Y | 8x8, 9x8 | 3/8 | .024 | 300 | 12,900 | 24 | 1 | 740/760 |
| HB12SAM | - | W | 9x8 | 1/2 | .020 | 250 | 9,000 | 24 | 1 | 580 |
| MA1235/MB1235 | - | B/C/W/Y | 8x8, 9x8 | 1/2 | .023 | 350 | 9,900 | 24 | 1 | 680 |
| MA1245 | - | B/W | 8x8 | 1/2 | .024 | 450 | 7,200 | 24 | 1 | 690 |
| MA1260 | - | B | 8x8 | 1/2 | .031 | 600 | 7,200 | 24 | 1 | 880 |

*ACME® COMPARABLE SIZES (STRAPEX)®

| | | | | | | | | | | |
|--------|---------------------------|---------|-----|------|------|-----|--------|----|---|-----|
| MB6MM | 374.606.661 6mm AMS 180 | C/W/Y | 9x8 | 6mm | .024 | 145 | 20,000 | 24 | 1 | 820 |
| MB7MM | 374.607.652 7mm AMS 200 | W/Y | 9x8 | 7mm | .025 | 200 | 17,000 | 24 | 1 | 770 |
| MA9MM | 374.609.639 3/8" AMS 300 | W | 8x8 | 9mm | .024 | 300 | 12,900 | 24 | 1 | 760 |
| MB9MM | 374.609.639 3/8" AMS 300 | B/C/W/Y | 9x8 | 9mm | .024 | 300 | 12,900 | 24 | 1 | 760 |
| MA12MM | 373.6112.630 1/2" AMS 325 | W | 8x8 | 12mm | .023 | 300 | 9,900 | 24 | 1 | 680 |
| MB12MM | 373.612.630 1/2" AMS 325 | B/C/W/Y | 9x8 | 12mm | .023 | 300 | 9,900 | 24 | 1 | 680 |


*ACME® COMPARABLE SIZES

| | | | | | | | | | | |
|-------|--------|-----|------|-----|------|-----|--------|----|---|-----|
| ME300 | SM-300 | W | 11x8 | 3/8 | .022 | 300 | 10,500 | 24 | 1 | 860 |
| MC400 | M-400 | B/W | 16x6 | 3/8 | .024 | 400 | 8,700 | 28 | 1 | 860 |
| MB500 | MJ-500 | B | 9x8 | 1/2 | .026 | 500 | 6,600 | 24 | 1 | 670 |
| MC500 | M-500 | B/W | 16x6 | 1/2 | .026 | 500 | 6,600 | 28 | 1 | 780 |
| MC600 | M-600 | B | 16x6 | 1/2 | .030 | 600 | 6,000 | 28 | 1 | 860 |

*SIGNODE® is a registered Trademark of ITW Corp. ITW Brands®, ACME® (STRAPEX®) are registered Trademarks of ITW Corp.

□ Smooth Surface

FLEXBAND® MACHINE GRADE STRAPPING



- Polypropylene
- Split Resistant
- Flexible—Low Cost
- Variety of Break Strengths

PRODUCT CODE DESCRIPTION



Standard Colors • B-Black • W-White • Y-Yellow • C-Clear


| CORE SIZES | | | |
|------------|-----|--------|--------------|
| Code | ID | Face | Coils/Pallet |
| A | 8" | 8" | 24 |
| B | 9" | 8" | 24 |
| C | 16" | 6" | 28 |
| E | 11" | 8" | 24 |
| F | 24" | 6" | 14 |
| G | 4" | 6" | 30 |
| I | 8" | 6" | 28 |
| K | 8" | 7 1/2" | 24 |
| L | 8" | 6 3/4" | 54 |

| PRODUCT CODE | DESCRIPTION | | | | | | | COILS PER PALLET | COILS PER BOX | WEIGHT PER PALLET |
|--------------|-------------------|-------|-----------|---------------|-------------------|---------------|---------|------------------|---------------|-------------------|
| | COMPETITOR'S CODE | COLOR | CORE SIZE | NOMINAL WIDTH | NOMINAL THICKNESS | NOMINAL BREAK | FOOTAGE | | | |

| *SIGNODE® COMPARABLE SIZES • Must purchase in full pallet quantities • (not individually boxed) | | | | | | | | Smooth Surface | | |
|---|-------|-----|---------|-----|------|-----|--------|----------------|----|-----|
| MG209 | LD213 | C/Y | 4x6 | .23 | .014 | 145 | 20,000 | 30 | 30 | 810 |
| MG212 | LD212 | C/Y | 4x6 | .23 | .018 | 200 | 15,000 | 30 | 30 | 810 |
| MC714 | HD714 | B/C | 16x6 | .41 | .019 | 400 | 10,500 | 12 | 12 | 450 |
| MC716 | HD716 | B/C | 16x6 | .41 | .025 | 500 | 8,000 | 12 | 12 | 445 |
| MC718 | HD718 | B | 16x6 | .41 | .030 | 600 | 7,000 | 12 | 12 | 450 |
| MC723 | HD723 | B/C | 16x6 | .41 | .025 | 500 | 9,000 | 12 | 12 | 505 |
| MC729 | HD729 | B | 16x6 | .41 | .030 | 600 | 7,700 | 12 | 12 | 500 |
| MK112 | LB112 | C | 8x7-1/2 | 5mm | .012 | 120 | 30,000 | 24 | 24 | 710 |
| MK113 | LB113 | C/Y | 8x7-1/2 | 5mm | .014 | 120 | 25,000 | 24 | 24 | 720 |
| MK116 | LB116 | C | 8x7-1/2 | 5mm | .016 | 120 | 23,000 | 24 | 24 | 750 |
| MK214 | SP216 | C/Y | 8x7-1/2 | .23 | .015 | 200 | 18,000 | 24 | 24 | 760 |
| Mk216 | SP216 | C/Y | 8x7-1/2 | .23 | .016 | 200 | 18,000 | 24 | 24 | 760 |
| MK2x2 | LB212 | C/Y | 8x7-1/2 | .23 | .013 | 125 | 24,000 | 24 | 24 | 710 |
| MK612 | HB612 | B/C | 8x7-1/2 | .35 | .014 | 225 | 16,000 | 24 | 24 | 805 |
| MK616 | SP616 | B/C | 8x7-1/2 | .35 | .016 | 300 | 12,000 | 24 | 24 | 770 |
| MK716 | SP716 | B/C | 8x7-1/2 | .41 | .025 | 500 | 6,700 | 24 | 24 | 720 |
| MK719 | SP719 | B/C | 8x7-1/2 | .41 | .019 | 400 | 9,000 | 24 | 24 | 795 |
| MK723 | SP723 | B/C | 8x7-1/2 | .41 | .025 | 500 | 7,500 | 24 | 24 | 795 |

| *SAMUEL® COMPARABLE SIZES | | | | | | | | | | |
|---------------------------|------------------|-----|------|-----|------|-----|--------|----|----|------|
| ME220 | M1418EJW-131G3 | W | 11x8 | 1/4 | .024 | 200 | 13,100 | 24 | 1 | 550 |
| MB1237 | M1235EHX-099T3 | W | 9x8 | 1/2 | .024 | 350 | 9,900 | 24 | 1 | 800 |
| ME413 | M1241EJX-075S7 | W | 11x8 | 1/2 | .025 | 350 | 7,500 | 24 | 1 | 720 |
| MC413 | M1235EMW-090T7 | W | 16x6 | 1/2 | .025 | 350 | 9,000 | 28 | 1 | 980 |
| MC415 | M1240EMB-069T7 | B | 16x6 | 1/2 | .026 | 400 | 8,900 | 28 | 1 | 1060 |
| MC418 | M1250EMW-082B8 | W | 16x6 | 1/2 | .027 | 500 | 8,200 | 28 | 1 | 1000 |
| MC420 | M1260EMB/Y-072B6 | B/Y | 16x6 | 1/2 | .031 | 600 | 7,200 | 28 | 1 | 1060 |
| MF420 | M1260EPB/Y095B5 | B/Y | 24x6 | 1/2 | .031 | 600 | 9,500 | 14 | 14 | 730 |

FLEXBAND® MACHINE GRADE STRAPPING



- Polypropylene
- Split Resistant
- Flexible—Low Cost
- Variety of Break Strengths

PRODUCT CODE DESCRIPTION



Standard Colors • B-Black • W-White • Y-Yellow • C-Clear

| Code | CORE SIZES | | Coils/Pallet |
|------|------------|--------|--------------|
| | ID | Face | |
| A | 8" | 8" | 24 |
| B | 9" | 8" | 24 |
| C | 16" | 6" | 28 |
| E | 11" | 8" | 24 |
| F | 24" | 6" | 14 |
| G | 4" | 6" | 30 |
| I | 8" | 6" | 28 |
| K | 8" | 7 1/2" | 24 |
| L | 8" | 6 3/4" | 54 |

| PRODUCT CODE | DESCRIPTION | | | | | | | COILS PER PALLET | COILS PER BOX | WEIGHT PER PALLET |
|--------------|-------------------|-------|-----------|---------------|-------------------|---------------|---------|------------------|---------------|-------------------|
| | COMPETITOR'S CODE | COLOR | CORE SIZE | NOMINAL WIDTH | NOMINAL THICKNESS | NOMINAL BREAK | FOOTAGE | | | |

SAMUEL COMPARABLE SIZES

| | | | | | | | | | | |
|--------|---------------------|-------|-----|------|-------|-----|--------|----|---|-----|
| MI3830 | M3830EE/C/B/W/100T5 | C/W | 8X6 | 3/8" | 0.024 | 300 | 10,000 | 28 | 1 | 725 |
| MI1235 | M1230EEX | B/C/W | 8X6 | 1/2" | 0.024 | 350 | 9,000 | 28 | 1 | 790 |
| MI1250 | M1250EEX082T5 | B/W | 8X6 | 1/2" | 0.025 | 500 | 8,200 | 28 | 1 | 920 |

POLYCHEM NEWSPAPER SIZES

| | | | | | | | | | | |
|----------------------|---|--------|---------|-------|------|-----|--------|----|---|-------|
| MAS50XL [□] | - | Y/C | 8x8 | 5mm | .012 | 125 | 30,000 | 24 | 1 | 925 |
| MAS60XL [□] | - | Y | 8x8 | 1/4" | .015 | 200 | 29,000 | 24 | 1 | 1,070 |
| MAS61XL [□] | - | C | 8x8 | 1/4" | .013 | 125 | 26,000 | 24 | 1 | 710 |
| MAS65MM | - | Y/BLUE | 8x8 | 6.5mm | .025 | 200 | 18,000 | 24 | 1 | 792 |
| MAS7MM | - | Y | 8x8 | 7mm | .025 | 200 | 16,400 | 24 | 1 | 800 |
| MAS90XL [□] | - | C/Y | 8x8 | 9mm | .013 | 300 | 18,000 | 24 | 1 | 1,100 |
| MBS2280 | - | Y | 9x8 | 6mm | .020 | 150 | 22,000 | 24 | 1 | 792 |
| MK200 | - | BLUE | 8x7-1/2 | 7mm | .025 | 200 | 16,400 | 24 | 1 | 800 |

*DYNARIC® COMPARABLE SIZES - LOW ELONGATION

| | | | | | | | | | | |
|----------|-----------|---|------|------|------|-----|-------|----|---|-----|
| MC1262LE | - | W | 16x6 | 1/2" | .033 | 620 | 6,400 | 28 | 1 | 890 |
| MC5575 | X 5575-16 | W | 16x6 | 12mm | .028 | 600 | 7,000 | 28 | 1 | 980 |

*MOSCA® COMPARABLE SIZES

| | | | | | | | | | | |
|-------|--------|-----|------|------|------|-----|--------|----|----|------|
| MA504 | L 504W | W/C | 8x8 | 5mm | .017 | 110 | 24,000 | 24 | 24 | 600 |
| MA505 | L 505W | W | 8x8 | 5mm | .018 | 130 | 23,000 | 24 | 24 | 670 |
| MC423 | - | Y | 16x6 | 12mm | .035 | 600 | 7,200 | 28 | 1 | 1170 |

*OVAL® COMPARABLE SIZES

| | | | | | | | | | | |
|-------|---------|---|---------|-------|------|-----|--------|----|---|-------|
| ML615 | 615JP80 | W | 8x6-3/4 | 5.5mm | .017 | 150 | 19,500 | 54 | 2 | 1,460 |
| ML620 | 620JP80 | W | 8x6-3/4 | 5.5mm | .022 | 200 | 16,000 | 54 | 2 | 1,400 |
| MK620 | 6/2088 | W | 8x7-1/2 | 5.5mm | .022 | 200 | 18,500 | 24 | 1 | 720 |
| MA925 | 9/2588 | W | 8x8 | 9mm | .021 | 250 | 12,000 | 24 | 1 | 725 |

*SAMUEL® is a trademark of Samuel Manutech *DYNARIC® is a registered trademark of Dynaric Inc. *MOSCA® is a registered Trademark of EAM MOSCA®

*OVAL® is a registered Trademark of Oval Strapping, Inc.

[□] Smooth Surface